Monday, 1/14/2008 2:32:11 PM Kim Johnston , User: **Process Sheet Drawing Name** : DECAL Customer : CU-DAR001 Dart Helicopters Services : 36723 Job Number : 11428 **Estimate Number** : D31087 Part Number P.O. Number : D3108 REV B1 : 1/14/2008 S.O. No. : **Drawing Number** This Issue : N/A : NC Project Number Prsht Rev. : B1 : 11 : PURCHASED PARTS **Drawing Revision** First Issue Type Material Previous Run : 1/21/2008 Qty: Um: Each Due Date Written By Checked & Approved By Added Rev.B NG : Est. Comment **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: **PURCHASING** 1.0 PG Comment: PURCHASING c/208/01/15 Issue P/O: <u>5449</u> Make per Dwg D3108 20 Black letter on white adhesive film Manufacture from 3M 7mil masking film p/n 8522CP OR Avery IPM #2031 Material release note required Decal 2.0 D31087P Comment: Qty.: 20.0000 Each(s) 1.0000 Each(s)/Unit Total: Decal PACKAGING 1 PACKAGING RESOURCE #1 3.0 Comment: PACKAGING RESOURCE #1 Recieive & Inspect for Transit Damage Ensure Material Release Note is attached 4.0 QC6 Comment: DIMENSIONAL CHECK PACKAGING RESOURCE #1 5.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:

rospace L	_td								
		W	ORK ORDER CH	ANGES					
STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						· · · · · · · · · · · · · · · · · · ·			
<u></u>	PAR #:	Fault Cate	gory:	NC	R: Yes	No DQ	A:	_ Date: _	·
					QA: N	C Close	d:	_ Date: _	
		WORK ORD	ER NON-CONFO	RMANCE	(NCR)			
OTED	Description of NC		Corrective Action	Section B		Verifi	cation	Approval	Approval
SIEP	Section A	Initial Chief Eng	Action Descrip Chief Eng	otion	Sign & Date			Chief Eng	QC Inspector
							<u>-</u>	<u> </u>	
	STEP	:PAR #:	STEP PROCEDURE CHA :PAR #:Fault Cate WORK ORD STEP Description of NC Section A Initial	WORK ORDER CH STEP PROCEDURE CHANGE PAR #: Fault Category: WORK ORDER NON-CONFO STEP Description of NC Section A Corrective Action Initial Action Description	WORK ORDER CHANGES STEP PROCEDURE CHANGE :PAR #:Fault Category:NC WORK ORDER NON-CONFORMANCE WORK ORDER NON-CONFORMANCE STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By :PAR #: Fault Category: NCR: Yes I QA: N/ WORK ORDER NON-CONFORMANCE (NCR STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date PAR #: Fault Category: NCR: Yes No DQ QA: N/C Close WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty :	STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr PAR #: Fault Category: NCR: Yes No DQA: Date: QA: N/C Closed: Date: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC Section A Initial Action Description Sign & Section C Section C Chief Eng / Prod Mgr

NOTE: Date & initial all entries

Date: ∡Uşer:

Monday, 1/14/2008 2:32:11 PM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: DECAL

Job Number: 36723

Part Number: D31087

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21



FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



2000 (1/23

; ;

Dart Ae	rospace	Ltd							
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		· · · · · · · · · · · · · · · · · · ·					-		
Part No	:	PAR #:	Fault Cate	gory: N	CR: Yes	No DQ	A:	Date:	<u> </u>
					QA: N	/C Close	d:	Date:	
NCR:			WORK ORD	ER NON-CONFORMANC	E (NCF	()			
DATE	STEP	Description of NC	Initial	Corrective Action Section B	Sign &	1	cation	Approval	Approval
		Section A	Chief Eng	Action Description Chief Eng	Date	Sect	ion C	Chief Eng	QC Inspector

		Description of NC		Corrective Action Section B		Verification	Annroval	Annroyal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
						1		
					:			

NOTE: Date & initial all entries




DESIG	RF RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	•
CHEC	KED	APPROVED	DRAWING NO.	REV. B
	#	#	D3108 SHEET	1 OF 2
DATE		I	TITLE	SCALE
02.	04.01		DECAL	1:1
Α		02.04.01	NEW ISSUE	
В		02.04.17	ADD -7/-9; ADD TRIM LINES	
81	1-11	04.05-11	CHANGE MATERIAL ON D3108-9	

	1.84	-	
2.06	P/N D3108-1	TRIM	P/N D3108-2

D3108-1 (REPLACES BHT P/N 31-057-3EH) (REPLACES BHT P/N 31-057-4EH)

D3108-2



D3108-3 (REPLACES BHT P/N 31-042-7BHF)

D3108-5 (REPLACES BHT P/N 31-042 51 (350))

NOTES:

MATERIAL: BLACK LETTER ON WHITE ADHESIVE BACK MANUFACTURED FROM 3M 7 MIL MASKING FILM

#8522CP OR AVERY IPM #2031


TOLERANCES ARE PER QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES


RETURNTO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








NOTES:

MATERIAL: BLACK (EXCEPT FOR RED AS NOTED) ARTWORK ON WHITE ADHESIVE BACK MANUFACTURED FROM 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031 TOLERANCES ARE PER QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES



(REPLACES BHT P/N 212-072-635-101) NOTES:

MANUFACTURED FROM FLEXCON 4 MIL CLARGE PLUS MATERIAL: WHITE LETTER ON RED ADHESIVE BACK, CLEAR VINYL WITH FLEXCON FLEXTONN WHITE BARRIER FILM

MANUFACTURED FROM 3M 7 MIL MASKING FUM #8522CP OR AVERY IPM #2031

TOLERANCES ARE PER QSI 018 UNLESS OTHERWISE NOTED

ALL DIMENSIONS ARE IN INCHES

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Purchase Order

Date Jan 15, 2008 Page

Purchase Order Number PO00005449

Dart Aerospace Ltd 1270 Aberdeen St

Hawksbury, Ontario K6A 1K7 Phone: (613)632-9577

Fax:

(613)632-1053



Vendor Address:

Studio de Lettrage 2001

210 Main West

Hawkesbury, ONT K6A 2H6

Canada

Phone Fax

(613) 632-5449 (613) 632-9491

Ship To: Main Finished Goods Location

Dart Aerospace Ltd 1270 Aberdeen St Hawksbury, Ontario K6A 1K7

			•			
Reference	Contact	Vendor Number	PO Date	Terms	Ship Via	Expected Arrival
/\Ciciono		VC-STU001	Jan 15, 2008	N30	yours	Jan 21, 2008

Qty. Ordered	Item Number	Description	Expected Arrival	Drop- Ship	Unit Cost	UOM	E	xtended Price
20.0000	D31087P Con	Decal ments: AS PER DWG D310	1/21/2008 8 REV. B1	No	5.000000	Each		100.00
		BLACK LETTERS C	N WHITE AD	HESIVE	FILM			
		MANUFACTURE FF	OM 3M 7 MII	MASK	NG FILM P/N: 85	22CP		
		OR AVERY IPM #20	1					
		CERTIFICATE OF CO REQ'D UPON DE	1 8					
Comments:		Tax Summary:	l			<u> </u>		
Jonnion.		GST		5.00 0.00	Less:			0.00
	•	GSTME GSTND		0.00	included tax			0.00
		Entered By: Co) CLAVOU	-	Subtotal Total tax			100.00 5.00
		Entered by.	· CLAVOII	ن	Total purchase	order in		,,
		Approved By:	\sqrt{V}		CAD Dollars			105.00



210 MAIN W.,

HAWKESBURY, ONT. K6A 2H6

Tel.: 613 632-5449 Fax: 613 632-9491

www.studiolettrage.on.ca

No.:

9719

DATE:

01/21/2008

PAGE

INVOICE / FACTURE

1 of 1

Re: Quote No. 4435

VENDU À: SOLD TO: LIVRÉ À: SHIPPED TO:

Dart Aèrospace Ltd

Hawkesbury, Ontario

Dart Aerospace Ltd 1270 Aberdeen Hawkesbury, Ontario K6A 1K7

D310 PP helicopter clip art printing G E 50.00 50.00 50.00 E - GST @ 5% G - GST @ 5%; PST @ 8% GST PST Exempt: #6122-5207	ITEM ARTICLE	QTY QYÉ	UNIT UNITÉ	DESCRIPTION	GST TPS	PST TVP	UNIT PRICE PRIX UNITÉ	AMOUNT MONTANT
				set up E - GST @ 5% G - GST @ 5%; PST @ 8% GST	G E			50.00

PO 5449

Sold By:

TOTAL

105.00

Product Bulletin 8522

Release F. Effective January 2003 Black bar in margin indicates a change

Scotchcal [™] **Opaque Imaging Media 8522**

Description

This media is specially formulated to dry quickly after printing. Production of outdoor weatherable and long-term indoor durable graphics is now easier than ever. Its changeable adhesive allows easy removal for up to one year.

Advantages

- Optimized for use with selected Epson Stylus Pro printers and Epson Archival inks
- Optimized for use with selected HP DesignJet Printers and HP DesignJet Ink System UV or HP83UV Color Ink System
- For making opaque, laminated graphics that are outdoor weatherable and long-term indoor durable
- Media:
 - . For opaque (reflective) graphics
 - Changeable, easy to remove from warranted substrates up to 1 year later
 - Dries quickly after printing so the overlaminate can be applied almost immediately
 - Low slippage paper liner for superior tiling
- Overlaminates:
 - Provide additional UV (ultraviolet) and physical protection for making weatherable finished graphics Available in luster and matte gloss
 - Adhesive allows for heat-assisted or cold-temperature lamination

Applications and Uses

3M * Scotchcal > Changeable Opaque Imaging Media 8522 is intended only for ink jet printing and for use with the listed Compatible Products and Equipment and the following applications. Any other application is NOT warranted by 3M or covered by the worldwide 3M. MCS. Warranty unless 3M gives its prior written approval for the application.

- First surface images (the image is on top of the film) for opaque posters and signs, including:
 - Graphics for vans, personal vehicles, trucks and buses
 - Novelty posters
 - Retail and point-of-purchase displays
 - Information graphics such as maps and directories
 - Entertainment promotions in museums, zoos, parks. theatres, sports venues
 - Education and presentation graphics

- Legal and courtroom exhibits
- For flat or simple curved surfaces, with or without rivets, used in vertical (± 10°) applications

Limitations of End Uses

The following uses and applications are specifically NOT warranted.

- Fleet applications in areas that use salt for winter road maintenance
- Application to non-warranted substrates, including wall-
- Applications subjected to gasoline vapors or spills
- Application to corrugated or highly irregular surfaces or sharply raised areas
- Graphics applied to stainless steel, including stainless steel vehicles
- On flat surfaces with rivets, tenting of 4 to 10 mm around rivets may be expected; rivets may be cut around to eliminate tenting.

Standard ink jet technology is water based. Waterbased chemistry is susceptible to the extremes of heat and humidity. This is a factor in most product constructions on the market. Read the Fabrication. Shelf Life and Storage sections in this bulletin. Staying in the middle of these ranges always provides optimum performance.

Compatible Products and Equipment

Thermal Ink Jet Printing Systems

- Epson Stylus Pro 9500, Stylus Pro 10000 printer
 - Epson Archival Inks
- Epson Stylus Pro 10600 printer
 - Epson Archival Inks
- HP DesignJet Printers 2000 and 3000 series
 - HP DesignJet Ink System UV (pigment-based ink)
- HP DesignJet Printers 5000 series
 - HP83UV Color Ink System

Overlaminates (required)

- 3M " Luster Overlaminate 8519 (semi-gloss)
- 3M * Matte Overlaminate 8520

Note: For the full product names of the 3M products listed on this page, please see page 1.

Warranted Substrates

Media 8522 is warranted for use on the following rigid substrates.

Some substrates may "out-gas", resulting in tiny bubbles throughout the surface of the graphic. For maximum performance, be sure the substrate you select is properly cleaned and prepared as recommended by the manufacturer. See Instruction Bulletin 5.1 for additional information.

- Alodine (anodized aluminum)
- Automotive panels (automotive painted steel)
- Fruehauf (painted aluminum)
- FRP (fiberglass reinforced plywood)
- Imron® (polyurethane-painted metal panel)
- Acrylic
- Sintra™ board

Test and Approve Non-warranted Substrates Before lise

Media 8522 is not warranted for any substrate other than those listed above. If you want to use it for other substrates, 3M recommends that you test and approve the media for both adhesion and removal characteristics.

Characteristics

Characteristic	Description
Media	7 mil, white, opaque graphic film
****	Low-slippage, lay flat paper
Adhesive A	Changeable, pressure sensitive
Thickness (media and adhesive)	7.5 to 8 mil (nominal)
Application substrates	See Warranted Substrates, above
Application surfaces	Flat or simple curved surfaces, with or without rivets, used in vertical (± 10°) applications (no corrugations)
Application temperature range	28° to 110°F (-2° to 43°C) (air and surface)
Roll sizes	36" x 45 feet (914 mm x 13.5 m) 54" x 45 feet (1372 mm x 13.5 m)

How to Become a 3M link Jet Registered Fabricator

Only 3M Thermal lnk Jet Registered Fabricators are eligible to offer 3M MCS warranted graphics. In order to become certified, a fabricator must complete the requirements as specified in the 3M Ink Jet Graphics Registered Fabricator Reference Manual located on the 3M website at www. scotchprint.com

Effective Performance Life

To obtain the warranty given below, the graphics must be made according to 3M's recommendations which are detailed in the Warranty and Limited Remedies on page 3. Also see the section, Removability.

Warranted Durability

Media 8522	Epson Pr	inters	HP Printe	rs
with Overlaminate 8519 or 8520	Outdoor	Indoor	Outdoor	Indoor
Applied to	2 years	5 years	3 years	5 year
Warranted Substrates				

Removability

Imaging media 8522 is removable from warranted substrates for I year without the aid of chemical strippers or accessories. Refer to Instruction Bulletin 4.23 for additional information.

Fabrication

Graphics must be made according to 3M's recommendations which are detailed in the Warranty and Limited Remedies on page 3.

See Instruction Bulletin 4.23 for detailed fabrication, printing and mounting information.

Graphic Construction Options

Opaque (Reflective) Graphics

Opaque graphics made with imaging media 8522 require an overlaminate and an opaque substrate.

Viewer/Light Source Overlaminate 8519, 8520 Adhesive on bottom imaging Media 8522 Image on top; adhesive on bottom Opaque Substrate

Note: For the full product names of the 3M products listed on this page, please see page 1.

Shelf Life and Storage

- 3M[™] Scotchcal [™] Changeable Opaque Imaging Media 8522 has a shelf life of one year.
- Storage conditions (new and partially used rolls). For optimum performance, use the middle of these ranges:
 - Original packaging, including plastic wrap
 - Relative humidity of 20% to 80%
 - Temperature of 33° to 104°F (0° to 40°C)
 - Away from direct sunlight
- Do not stack unprotected rolls or lay sharp or heavy objects on them.

Health and Safety

⚠ Caution

When handling any chemical products, read the manufacturers' container labels and the Material Safety Data Sheets (MSDS) for important health, safety and environmental information.

To obtain MSDS sheets for 3M products:

- By fax, call 1-800-364-0768 in the US and Canada or 1-650-556-8417 for all other locations.
- Electronically, visit us at http://www.3M.com/msds.
- By mail, or in case of an emergency, call 1-800-364-3577 or 1-651-737-6501.

When using any equipment, always follow the manufacturers' instructions for safe operation.

Warranty and Limited Remedies

3M[™] MCS[™] Warranty for Graphics Produced on HP DesignJet Printers and Epson Stylus Pro Printers

The following is made in lieu of all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose: We warrant graphics produced by a 3M Ink Jet Registered Fabricator made with imaging media 8522, printed on an approved HP thermal ink jet printer according to HP's recommendations or Epson Stylus Pro printer according to Epson's recommendations, overlaminated with 8519 or 8520, and applied to a Warranted Substrate according to 3M's recommendations. These

graphics are covered against failure caused by ultraviolet light, temperature extremes, pollution, and other elements.

If a graphic fails to perform in accordance with 3M product specifications within this time frame, 3M will replace the materials at no charge. These remedies are exclusive. In no case shall 3M be liable for any direct, indirect, or consequential damages, including any labor charges.

3M Related Literature

Listed below is related 3M technical literature that may be of interest. You may view and print these Bulletins from our Web site at www.scotchprint.com, or order them via our Faxon-Demand (FOD) system. Call one of these phone numbers to order the desired bulletins, and specify the FOD document number provided in the chart.

United States or Canada: 1-800-364-0768

International: 1-651-732-6506

Subject	Bulletin No.	FOD No.
Product Bulletins		
3M [™] Scotchcal [™] Overlaminate 8519 and 8520	8519/8520	4524
Instruction Bulletins		
Making thermal ink jet graphics	4.23	6523
Application, substrate selection, preparation and substrate-specific application techniques	5.1	7001
Warranties		
Worldwide 3M [™] MCS [™] Warranty Packe (includes all Commercial Graphics MCS Wa	rranties)	9503
Worldwide 3M [™] MCS [™] Warranty Overv	iew-Folder	9504

3M. Scotchcal and MCS are trademarks of 3M.
Epson and Stylus Pro are trademarks of Epson.
HP and DesignJet are tradenames of Hewlett Packard.
Sintra is a trademark of Swiss Aluminum Ltd.
Imron is a registered trademark of DuPont in the United States

Bulletin Change Summary

The Epson Stylus Pro Printers 9500, 10000 10600, and Epson Archival Inks have been added to this bulletin. Additional changes resulting from this addition are marked with black bars in the margin.

3M

Commercial Graphics Division 3M Center, Building 220-6W-06

PO Box 33220 St. Paul, MN 55133-3220 USA General Info. 1-800-374-6772 Technical Info. 1-800-328-3908 Fax 1-651-736-4233 3M Canada

P.O. Box 5757 London, Ontario Canada N6A 4T1 1-800-265-1840 Fax 519-452-6245 3M México, S.A. de C.V.

Av. Santa Fe No. 55 Col. Santa Fe, Del. Alvaro Obregón México, D.F. 01210 52-55-52-70-04-00 Fax 52-55-52-70-22-77 3M Puerto Rico, Inc.

Puerto Rico Industrial Park P.O. Box 100 Carolina, PR 00986-0100 787-620-3000 Fax 787-750-3035

Fax-on-Demand 1-800-364-0768 US/Canada or 1-651-732-6506 International Fax-on-Demand document: 4506 www.scotchprint.com

©3M 2003. All rights reserved.

Product Bulletin 8522 – 3